


Werkstattinformationssystem Display Document

Sales designation: CLK 500	Vehicle ident. number: WDB209375*	Engine number: 113.968	Automatic transmission: 722633	Gr.: 27.19	Entry: Mod.Y.: Op. no.:
AR27.19-P-1719Q		Remove/install electronic transmission control (ETC) control unit		Full-size view	Validity OFF Page: 2 / 5


AR27.19-P-1719Q	Remove/install electronic transmission control (ETC) control unit	1.2.02
-----------------	---	--------

- TRANSMISSION 722.695 in MODEL 209.342
- TRANSMISSION 722.696 in MODEL 209.361
- TRANSMISSION 722.618 in MODEL 209.365
- TRANSMISSION 722.633 in MODEL 209.375
- TRANSMISSION 722.636 in MODELS 209.376, 203.076 /276

- 1 Cover
- 2 Nuts
- 3 Mounting plate
- 4 Floor mat
- N15/3 ETC control unit
- N62 PTS control unit



- 1 Cover
- 2 Nuts
- 3 Mounting plate
- 4 Floor mat
- N15/3 ETC control unit
- N62 PTS control unit



wis AR27.19-P-1719Q Remove/install electronic transmission control (ETC) control unit Normal view validity OFF Page: 3/ 4

	Remove/Install		
<p>⚠ Danger!</p> <p>1</p> <p>ⓘ</p>	<p>Risk of explosion caused by oxyhydrogen gas. Risk of poisoning and caustic burns caused by swallowing battery acid. Risk of injury caused by burns to skin and eyes from battery acid or when handling damaged lead-acid batteries</p> <p>Disconnect ground cable of battery</p> <p>Notes on battery</p>	<p>No fire, sparks, open flames or smoking. Wear acid-resistant gloves, clothing and safety glasses. Pour battery acid only into suitable and appropriately marked containers.</p> <p>ⓘ Model 209: Do not connect quiescent current retention unit, otherwise this may cause damage to the control units.</p> <p>Model 209</p> <p>Model 203</p> <p>All models</p>	<p>AS54.10-Z-0001-01A</p> <p>AR54.10-P-0003Q</p> <p>AR54.10-P-0003P</p> <p>AH54.10-P-0001-01A</p>
2	Fold right front floor covering (4) backwards		
3	Take out cover (1)		
4	Unscrew nuts (2) of assembly plate (3)		
5	Fold assembly plate (3) forwards		
6	Unscrew bolts from Parktronic control unit (N62)		
7	Put Parktronic control unit (N62) to one side		
8	Detach couplings from ETC (ECU) control		

Start '04 CLK5... wis << 20:58

5	Fold assembly plate (3) forwards		
6	Unscrew bolts from Parktronic control unit (N62)		
7	Put Parktronic control unit (N62) to one side		
8	Detach couplings from ETC [EGS] control unit (N15/3)		
9	Unscrew bolts from ETC [EGS] control unit (N15/3)		
10	Remove ETC [EGS] control unit (N15/3) from the assembly plate (3)		
11	Install in the reverse order		
12	Read out fault memory Connect STAR DIAGNOSIS and read out fault memory	Diagnosis system STAR DIAGNOSIS	AD00.00-P-2000-04A WE58.40-Z-1013-06A

Workshop equipment/MB testers (see Workshop Equipment Manual)

WE58.40-Z-1013-06A	STAR DIAGNOSIS Compact diagnosis system for passenger cars, order number 6511 1801 00
--------------------	---